



Connect System India Certifications & Awards

ISO 9001:2015 Certified by TUV Rheinland

December 22nd, 2021

Mr. Gaurav
M/s. Practico Interior Solutions Pvt. Ltd.
217 R. G Complex-1,
Sector -14, Rohini,
Delhi-110085, India.

Subject : Recommendation for ISO 9001 Certification

We confirm having conducted the Certification audit of your organization in the month of December 2021 and recommending for the ISO 9001: 2015 Certification.


Scope:

Manufacture of Electrical Power Boxes.

As per our procedures the reports are in process and it takes minimum 6 to 8 weeks (After submission of complete documents from your end if any) for the Certificate Issuance.

We shall revert back to you as soon as the certificate arrives.

With Regards,
For TÜV Rheinland (India) Pvt. Ltd.

A handwritten signature in blue ink, appearing to read 'S. Sharma'.

Assistant General Manager
Senior Auditor & Technical Reviewer
ISO 9001 & IATF 16949
Automotive Competent Person

BIS Certified

PRACTICO

BIS Declaration of Conformity

Issue's Name and Address:	Practico Interior Solutions Pvt Ltd 217 R.G. 1, Prashant Vihar, Sector 14 Rohini, Delhi – 110085
Product	6Amp Indian Socket , 16amp Indian Socket , 16Amp Switch
Rating	6A , 16A, 250VAC
Type Designation	Indian Socket 2 Pin & 3 Pin Combination


The designated product is BIS (Bureau of Indian Standard) Certified

Standard Mark : IS 1293

Delhi 01:12:2021

Place , Date

For Practico Interior Solutions Pvt. Ltd.



Director

Legally binding signature of the issuer

CE Certificate for Universal Socket , Indian Socket , 16 Amp Indian Socket & IEC Socket

PRACTICO

EU Declaration of Conformity

Issue's Name and Address:	Practico Interior Solutions Pvt Ltd 217 R.G. 1, Prashant Vihar, Sector 14 Rohini, Delhi - 110085
Product	Universal Socket , 6Amp Indian Socket , 16amp Indian Socket , IEC Socket
Rating	16A, 250VAC
Type Designation	Indian Socket 2 Pin & 3 Pin Combination

The designated product is in conformity with the European Directive:

2014/35/EU

"Council Directive on the harmonization of the laws of the Member States relating to electrical equipment designed for use within certain voltage limits"

Compliance with the standards listed below proves the conformity of the designated product with the provisions of the above mentioned EU Directive:

IEC 60884-1:2002 (Third Edition) + A1:2006 +A2:2013

The TUV Rheinland (India) Pvt. Ltd, Pune, India, has tested the products as per the above standard as per report no. 19600065001 dated 07 October, 2014

For Practico Interior Solutions Pvt. Ltd.

Delhi 06:01:2017

Place , Date


Director

Legally binding signature of the issuer

CE Certificate for USB Charging



Certificate of Compliance

We hereby declare that the technical files of all the items in each product group complies with the requirements of the Council Directive on The Low Voltage Directive 2014/35/EU (LVD).

Manufacturer:

Name : PRACTICO INTERIOR SOLUTIONS PRIVATE LIMITED
Address : 217, R.G. Complex-1, Sector-14, Rohini, North Delhi, Delhi, 110085, INDIA
Product : Work Connect Mobile Charger
**Model No. : 1. 5V - 0.5A, 2. 5V - 1A, 3. 5V - 1.5A, 4. 5V - 2A, 5. 5V - 2.5A
6. 5V - 3A, 7. 5V - 3.5A, 8. 5V - 4A, 9. 5V - 5A, 10. 5V - 10A**

Complies with the requirements applicable to it
The quality system file has been assessed, approved and is subject to continuous surveillance according to the Council Directive on The Low Voltage Directive 2014/35/EU (LVD).
This certificate issued under the following conditions:

1. It applies only to the quality system maintained in the manufacturing of above referenced models and it does not substitute the design or type examination procedures, if requested
2. The certificate remains valid until the manufacturing conditions or the quality system are changed
3. The certificate validity is conditioned by positive results of surveillance audits
4. After fulfilling relevant EEC legislation, the manufacturer shall affix to each device, of the referenced models The CE mark as shown Below can be used under the responsibility of the manufacturer after completion of an EEC Declaration of conformity and compliance with all relevant EEC Directives. The statement is based on a single evaluation of one sample of above mentioned product, not imply an assessment of the whole production.

Date of Certification: 24th December 2021 **Recertification Due: 23rd December 2024**
Date of Initial Registration: 24th December 2021 **Certificate Expiry: 23rd December 2024**
Subject To The Company Maintaining its system To The Required Standard

Certificate Number: CE/21N2063
Validity of this certificate can be verified at www.ocicert.com


Authorised Signatory



Optimum Certifications Inc.
Validity of This Certificate is Successful Annual Surveillance Audit To Be Done.
This Certificate is The Property of Optimum Certifications Inc. Shall Be Returned Immediately Upon Request, Optimum Certifications Inc. is Accredited by UK SAf Limited (www.uksaf.org.uk)
Suite 19, Regent Court, 70 West Regent Street, Glasgow, Scotland, G2 2QZ
E-mail: ocicert@gmail.com Web: www.ocicert.com

SGS Certificate- Socket , High Voltage Test

SGS

TEST REPORT

Report No. : BG:EE:1051000107

DATE : 22/01/2019

* 1051000107 *

Applicant's / Manufacturer's name & address
Practico Interior Solutions Private Limited
217, RG Complex-1, Sector -14, Rohini, Delhi-110085


CONTACT PERSON	Mr Gaurav Kapoor
SAMPLE DESCRIPTION	Universal Socket
MODEL NO.	CONUNI
SERIAL NO.	N/A
MAKE	Connect System

INPUT VOLTAGE & FREQUENCY	250V~, 10A, 50Hz
WEIGHT (APPROX.)	0.03 kg
PRODUCT TYPE	Socket-outlets

Sample recived Date: 17/01/2019
Sample recived Condition: Good
Laboratory Enviornmental condition: 24.8°C, 60%RH
Test date: 18/01/2019
Reference Standard: BS 1363-2:2016

Scope: High voltage Test at 2000V AC for 1 minute.

Pre Pro SGS India Private Ltd.



Yathish Acharya

Test Engineer

(Tested by)




Rajesh

Technical Manager

(Reviewed/Authorized by)

SGS Certificate- Socket , Temperature High Rise Test

SGS**TEST REPORT****Report No. : BG:EE:1051000108****DATE : 22/01/2019***** 1051000108 *****Applicant's / Manufacturer's name & address**

Practico Interior Solutions Private Limited
217, RG Complex-1, Sector -14, Rohini, Delhi-110085

CONTACT PERSON

Mr Gaurav Kapoor

SAMPLE DESCRIPTION

Universal Socket

MODEL NO.

CONUNI

SERIAL NO.

N/A

MAKE

Connect System

INPUT VOLTAGE & FREQUENCY

250V~, 10A, 50Hz

WEIGHT (APPROX.)

0.03 kg

PRODUCT TYPE

Socket-outlets

Sample received Date: 17/01/2019

Sample received Condition: Good

Laboratory Environmental condition: 24.8°C, 60%RH

Test date: 18/01/2019 to 19/01/2019

Reference Standard: BS 1363-2:2016

Scope: Temperature rise tests carried out at rated voltage -20%, +10%

Pre Pro SGS India Private, Ltd.



Yathish Acharya

Test Engineer

(Tested by)


Rajesh

Technical Manager

(Reviewed/Authorized by)

SGS Certificate- GST

Distributor – 1 in 2 out

SGS

TEST REPORT

Report Number	:	BG:EE:1251003682
Date	:	22.11.2021
Customer Name and Address	:	PRACTICO INTERIOR SOLUTIONS PRIVATE LIMITED 217 , RG Complex -1 , Sector 14, Rohini, DELHI, National Capital Territory of Delhi (07) 110085, India
Testing laboratory Name and Address	:	SGS India Pvt. Ltd. Ahmed Plaza, No.38/1 and 38/2, New BBMP No.88/45/45 Beratena Agrahara, Begur Hobli, Hosur Main Road Bangalore – 560 100
Sample Description	:	GST Connectors, Style No. / Model: 1 in 2 GST DISTRIBUTOR
Dimension (LxWxH) in mm	:	61.0 mm X 42.2 mm X 44.3 mm
Weight (Kg)	:	26.7 g
Sample condition	:	Good
Sample Received On	:	11.11.2021
Test(S) Requested	:	Dielectric strength test (Impulse withstand test, Voltage proof test) as per IEC 61984:2008
Testing Period	:	15.11.2021
Laboratory environmental condition:	:	Temperature: 25 +/- 3 °C, Humidity: 45% To 75% RH
Test Results	:	Refer page number 02

per pro SGS India Private Ltd.



Vinayak V
Engineer
(Tested by)



Nagaraj Aithal
Senior Engineer
(Reviewed / Authorized by)

SGS Certificate- GST

Distributor –

1 in 3 out

SGS


TEST REPORT

Report Number	: BG:EE:1251003683
Date	: 22.11.2021
Customer Name and Address	: PRACTICO INTERIOR SOLUTIONS PRIVATE LI 217 , RG Complex -1 , Sector 14, Rohini, DELHI, I Capital Territory of Delhi (07) 110085, India
Testing laboratory Name and Address	: SGS India Pvt. Ltd. Ahmed Plaza, No.38/1 and 38/2, New BBMP No.8 Beratena Agrahara, Begur Hobli, Hosur Main Road Bangalore – 560 100
Sample Description	: GST Connectors, Style No. / Model: 1 in 3 GST DISTRIBUTOR
Dimension (LxWxH) in mm	: 58.6 mm X 55.0 mm X 41.5 mm
Weight (Kg)	: 36.2 g
Sample condition	: Good
Sample Received On	: 11.11.2021
Test(S) Requested	: Dielectric strength test (Impulse withstand test, Vo test) as per IEC 61984:2008
Testing Period	: 15.11.2021
Laboratory environmental condition:	: Temperature: 25 +/- 3 °C, Humidity: 45% To 75% I
Test Results	: Refer page number 02

per pro SGS India



Vinayak V
Engineer



Nagaraj Aithal
Senior Engineer

SGS Certificate- GST Distributor – 1 in 5 out

SGS

TEST REPORT

Report Number	:	BG:EE:1251003684
Date	:	22.11.2021
Customer Name and Address	:	PRACTICO INTERIOR SOLUTIONS PRIVATE LIMITED 217 , RG Complex -1 , Sector 14, Rohini, DELHI, National Capital Territory of Delhi (07) 110085, India
Testing laboratory Name and Address	:	SGS India Pvt. Ltd. Ahmed Plaza, No.38/1 and 38/2, New BBMP No.88/45/45 Beratena Agrahara, Begur Hobli, Hosur Main Road Bangalore – 560 100
Sample Description	:	GST Connectors, Style No. / Model: 1 in 5 GST DISTRIBUTOR
Dimension (LxWxH) in mm	:	58.4 mm X 42.0 mm X 52.5 mm
Weight (Kg)	:	53.6 g
Sample condition	:	Good
Sample Received On	:	11.11.2021
Test(S) Requested	:	Dielectric strength test (Impulse withstand test, Voltage proof test) as per IEC 61984:2008
Testing Period	:	15.11.2021
Laboratory environmental condition:	:	Temperature: 25 +/- 3 °C, Humidity: 45% To 75% RH
Test Results	:	Refer page number 02

per pro SGS India Private Ltd.

A handwritten signature in blue ink, appearing to read "Vinayak V".

Vinayak V
Engineer
(Tested by)

A handwritten signature in blue ink, appearing to read "Nagaraj Aithal".

Nagaraj Aithal
Senior Engineer
(Reviewed / Authorized by)

SGS Certificate- GST Male Connector

SGS


TEST REPORT

Report Number	:	BG:EE:1251003681
Date	:	22.11.2021
Customer Name and Address	:	PRACTICO INTERIOR SOLUTIONS PRIVATE LIMITED 217 , RG Complex -1 , Sector 14, Rohini, DELHI, National Capital Territory of Delhi (07) 110085, India
Testing laboratory Name and Address	:	SGS India Pvt. Ltd. Ahmed Plaza, No.38/1 and 38/2, New BBMP No.88/45/45 Beratena Agrahara, Begur Hobli, Hosur Main Road Bangalore – 560 100
Sample Description	:	GST Connectors, Style No. / Model: MALE GST CONNECTOR
Dimension (LxWxH) in mm	:	69.4 mm X 28.9 mm X 13.1 mm
Weight (Kg)	:	16.83 g
Sample condition	:	Good
Sample Received On	:	11.11.2021
Test(S) Requested	:	Dielectric strength test (Impulse withstand test, Voltage proof test) as per IEC 61984:2008
Testing Period	:	15.11.2021
Laboratory environmental condition:	:	Temperature: 25 +/- 3 °C, Humidity: 45% To 75% RH
Test Results	:	Refer page number 02

per pro SGS India Private Ltd.



Vinayak V
Engineer
(Tested by)



Nagaraj Aithal
Senior Engineer
(Reviewed / Authorized by)

SGS Certificate- GST Female Connector

SGS


TEST REPORT

Report Number	:	BG:EE:1251003680
Date	:	22.11.2021
Customer Name and Address	:	PRACTICO INTERIOR SOLUTIONS PRIVATE LIMITED 217 , RG Complex -1 , Sector 14, Rohini, DELHI, National Capital Territory of Delhi (07) 110085, India
Testing laboratory Name and Address	:	SGS India Pvt. Ltd. Ahmed Plaza, No.38/1 and 38/2, New BBMP No.88/45/45 Beratena Agrahara, Begur Hobli, Hosur Main Road Bangalore – 560 100
Sample Description	:	GST Connectors, Style No. / Model: FEMALE GST CONNECTOR
Dimension (LxWxH) in mm	:	69.4 mm X 28.9 mm X 13.1 mm
Weight (Kg)	:	15.5 g
Sample condition	:	Good
Sample Received On	:	11.11.2021
Test(S) Requested	:	Dielectric strength test (Impulse withstand test, Voltage proof test) as per IEC 61984:2008
Testing Period	:	15.11.2021
Laboratory environmental condition:	:	Temperature: 25 +/- 3 °C, Humidity: 45% To 75% RH
Test Results	:	Refer page number 02

per pro SGS India Private Ltd.



Vinayak V
Engineer
(Tested by)



Nagaraj Aithal
Senior Engineer
(Reviewed / Authorized by)

ROHS Certificate- Rubber

ULR -TC582522000001242F

TEST REPORT

DATE : 24/05/2022

Report No. : PN:EE:1356001939



PRACTICO INTERIOR SOLUTIONS PRIVATE LIMITED

217, RG COMPLEX -1, SECTOR 14, ROHINI

DELHI-110085

IN

CONTACT PERSON : GAURAV KAPOOR

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :

SAMPLE DESCRIPTION

Rubber

COLOUR

BLACK

RAW MATERIAL

Wire Rubber

UEM

OTHERS

COUNTRY OF ORIGIN

INDIA

SAMPLE RECD ON

11/05/2022

TEST(S) REQUESTED


ROHS 10E

TESTING PERIOD : 16/05/2022 - 23/05/2022

Test Description	Remarks
ROHS 10E	PASS

CONCLUSION : Based on the performed tests on selected part of submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) comply with the limits as set by Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Per Pro SGS India Private Ltd



SACHIN M. VIBHUTE
Sr.Executive

Authorized Signatory

Email your Test Report Related Enquiries at feedback.india@sgs.com

Page -1 of 9

Control No: 1935821851

ULR No. : 2256003471

This document is issued by the Company under its General Conditions of Service printed and available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e_documents.htm. Attention is drawn to the limitation of liability indemnification and jurisdiction issues printed therein. Any notice of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be revaluated except in full without prior approval of the Company.

Transportation Laboratory, GRISE, 80/82, Kazi, Chhatra, Toluca - Road, Pune 411004, Maharashtra, India

Phone: +91 20 258 60000, Fax: +91 20 258 60000

Phone: +91 20 258 60000, Fax: +91 20 258 60000

Member of the SGS Group (RGS)

ROHS Certificate- Plastic

SGS



ULR - TC58252200001240F

TEST REPORT

Report No. : PN:EE:1356001937

DATE : 19/05/2022

PRACTICO INTERIOR SOLUTIONS PRIVATE LIMITED
217, RG COMPLEX -1, SECTOR 14, ROHINI
DELHI-110085
IN
CONTACT PERSON : GAURAV KAPOOR

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :

SAMPLE DESCRIPTION Plastic
COLOR BLACK
RAW MATERIAL Plastic
OEM OTHERS
COUNTRY OF ORIGIN INDIA
SAMPLE RECD ON 11/05/2022
TEST(S) REQUESTED ROHS 10E

TESTING PERIOD : 13/05/2022 – 18/05/2022

Test Description	Remarks
ROHS 10E	PASS

CONCLUSION : Based on the performed tests on selected part of submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) comply with the limits as set by Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Per Pro SGS India Private Ltd



SACHIN M. VIBHUTE
Sr.Executive

Authorized Signatory

Email your Test Report Related Enquiries at feedback.trp@sgs.com

JDE No. : 2156001937

Page -1 of 9

Control No. 1356001767

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

ROHS Certificate- Aluminium

SGS



ULR -TC582522000001243F

TEST REPORT

Report No. : PN:EE:1356001940

DATE : 19/05/2022



PRACTICO INTERIOR SOLUTIONS PRIVATE LIMITED
217 , RG COMPLEX -1 , SECTOR 14, ROHINI
DELHI-110085
IN
CONTACT PERSON : GAURAV KAPOOR

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :

SAMPLE DESCRIPTION	Aluminum
COLOUR	BLACK
RAW MATERIAL	Aluminum
OEM	OTHERS
COUNTRY OF ORIGIN	INDIA
SAMPLE RECD ON	11/05/2022
TEST(S) REQUESTED	ROHS 10E

TESTING PERIOD : 13/05/2022 – 17/05/2022

Test Description	Remarks
ROHS 10E	PASS

CONCLUSION : Based on the performed tests on selected part of submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) comply with the limits as set by Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Per Pro SGS India Private Ltd

SACHIN M. VIBHUTE
Sr.Executive

Authorized Signatory
Email your Test Report Related Enquiries at feedback.trp@sgs.com

JULI No. : 2256000471

Page -1 of 0

Control No. 1356001940

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

ULR -TC582522000001241F

TEST REPORT

Report No. : PN:EE:1356001938

DATE : 24/05/2022

PRACTICO INTERIOR SOLUTIONS PRIVATE LIMITED
217 , RG COMPLEX -1 , SECTOR 14, ROHINI
DELHI-110085
IN
CONTACT PERSON : GAURAV KAPOOR

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :


SAMPLE DESCRIPTION	Copper
COLOUR	BLACK
RAW MATERIAL	Copper
OEM	OTHERS
COUNTRY OF ORIGIN	INDIA
SAMPLE RECD ON	11/05/2022
TEST(S) REQUESTED	ROHS 10E

TESTING PERIOD : 16/05/2022 - 23/05/2022

Test Description	Remarks
ROHS 10E	PASS

CONCLUSION : Based on the performed tests on selected part of submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) comply with the limits as set by Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Per Pro SGS India Private Ltd



SACHIN M. VIBHUTE
Sr.Executive

Authorized Signatory

Email your Test Report Related Enquiries at feedback.trp@sgs.com

JDE No. : 2258800471

Page -1 of 9

Control No. 1356001903

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e_document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.



ROHS Certificate-

Copper

SPECIFICATION TABLE

Made In India Switch-Details

SR.NO	PARAMETER		SPECIFICATION	
1	Type		Rocker switch,	
2	Panel Thickness		3.0 Max.	
3	V/A Rating		SS-6-5/ISS-6-5	SS-16-5/ISS-16-5
			6A,250Vac	16A,250Vac
4	Contact Resistance (Initial)		10m Ohms. Max.	
5	Insulation Resistance at 500 V DC		100M Ohms Min.	
6	H.V.Break Down Test (For 1-Minute)		1.5 KV AC	
7	Mounting		Panel, Snap-in.	
8	Terminals		Soldering/Fast on, 6.30x0.80	
9	Electrical Life		10,000 Cycles Min.	
10	Permissible Temp.	(a)With/Without Load	-20°C TO +85°C	
		(b)For Soldering	270°C for 5 Sec Max.	
11	Material	(a)Body	Nylon	
		(b)Knob	Nylon: Non-Illuminated: Red, Black. Polycarbonate: Illumination: Red,Green,Amber.	
		(c)Terminals	Copper Alloy, Silver Plated	
		(d)Contacts	Silver & Copper, Silver Plated	
12	Reference Standard		IEC-61058-1	
13	Approvals		CE	






Made In India Universal Socket-Details




SR.NO	PARAMETER		SPECIFICATION
1	Connector type		3 Pin OR 2 Pin Universal Socket
2	V/A Rating		13A 250V AC
3	Contact resistance (Initial)		20 mohms max.
4	Insulation resistance at 500 V DC		1000 Mohms min.
5	H.V.Break down test (For 1 minute)		2 KV AC
6	Panel thickness		Standard – 2.00 – 3.00 mm 0.80 – 2.00 (E)
7	Mounting		Panel, Snap-in
8	Withdrawal force		3N TO 60N
9	Terminals		Solder-type / Fast on
10	Permissible temp.	(a) With/Without load	0°C TO 65°C
		(b) For soldering	270°C, 5 Sec max.
11	Material	(a) Body	Nylon-6
		(b) Cap	Nylon-6
		(c) Contacts	Brass, Nickel Plating
		(d) Terminals	Brass, Tin plating
12	Reference standard		IS:1293, IEC-83
13	Approvals		CE



Made In India 6 /16 Amp Socket-Details

BASIC DIMENSIONS:-


SR.NO.	PARAMETER			SPECIFICATION
1	Socket Type			Indian Socket 6 Pin
2	V/A Rating			6A & 16 A 250V AC
3	Contact Resistance (Initial)			30m Ohms Max.
4	Insulation Resistance At 500 V DC			100M Ohms Min.
5	H.V.Break Down Test. (For 1 Minute)			2 KV AC
6	Panel Thickness Other: Available on request			Standard:- 0.80 - 2.00 Other:- 2.00 - 3.00 (J)
7	Mounting			Panel Snap-in type
8	Withdrawl Force	6A	Single pin	1.5N Min.
			Multi pin	50N Max.
		16A	Single pin	2.0N Min.
			Multi pin	54N Max.
9	Terminals			Fast-On
10	Permissible Temp.	(a) With / Without Load		0°C TO 70°C
		(b) For Soldering		270°C, 5 Sec. Max.
11	Material	(a) Body		Polyamide FR
		(c) Terminals, Contacts		Brass / MS, Tin Plating
12	Reference Standard			IS:1293:2019, IEC-60884-1
13	Compliance Marking			
14	Approvals			

Made In India 6Amp Socket-Details

BASIC DIMENSIONS:-


SR.NO.	PARAMETER		SPECIFICATION
1	Connector Type		3 Pin Indian Socket
2	V/A Rating		6A 250V AC
3	Contact Resistance (Initial)		30m Ohms Max.
4	Insulation Resistance At 500 V DC		100M Ohms Min.
5	H.V.Break Down Test. (For 1 Minute)		2KV AC
6	Panel Thickness Other: Available on request		Standard:- 0.80 - 2.00 Other:- 2.00 - 3.00 (J)
7	Mounting		Panel Snap-in type
8	Withdrawal Force	Single pin	1.5N Min.
		Multi pin	50N Max.
9	Terminals		Fast-On
10	Permissible Temp.	(a) With / Without Load	0°C TO 70°C
		(b) For Soldering	270°C, 5 Sec. Max.
11	Material	(a) Body	Polyamide FR Red/Blue/Yellow/White (On Request with MOQ)
		(c) Terminals, Contacts	Brass/MS, Tin Plating
12	Reference Standard		IS:1293:2019, IEC-60884-1
13	Compliance Marking		
14	Approvals		

Two Year Warranty Certificate



Connect System Warranty Certificate

Connect System as the one of Biggest Manufacture of Modular cable Management Solution for office application Connect system does exactly what the name implies– and so much more, We give you and your customer, what you want – A 'Customized Solution' as per your requirement, We are experts in our field and provide Plug & Play cable management Solution

Connect System stands for the High Quality of our Products , Our all products comes with all the wires & respective connectors for power , data , Audio & Video. Our commitment is to supply products with best quality and to provide with latest technology to you

Connect System will provide Two Year Warranty against Technical / manufacturing defects from the date of the delivery of the products under the condition that our product are not opened and damage are not caused due to inappropriate preservation, maintenance, usage or by the Force majeure

Customer has to send back the Damage Goods to us and we have the sole write to repair or replace the defective parts of the product, in no event shall Connect System be liable for any indirect, incidental, punitive or consequential damages arising from the sale or use of the products

Honorary Award by
The CEO Magazine in The Category

*The Best
Cable
Management
System*



Indian Achiever Award

Connect System India is the proud recipient of
Indian Achievers' Award for Promising Company








We Are Made In
India

THANK YOU



Connect System India

217, RG Complex 1, Prashant Vihar
Rohini Sector– 14 Delhi– 110085
Reach us: www.connectsystem.in

Ph: 01142474423, 9810654706
gaurav@connectsystem.in